

Dokuwiki Plugins Used

There are a number of plugins installed, that allow for certain non-standard features. To get an idea of how to use them, see the section [Plugins](#) below. There are, however also other not so well-known markup tags, that may be of use.

Columns

By default, there is a means to align contents in columns, but not in a table. Here is an example for two columns:

```
<WRAP group>
  <WRAP half column>
    ===== Head Line =====
    Indention for Box
  </WRAP>
  <WRAP half column>
    ===== Another Head Line =====
    Another Box
    Out of the Box
  </WRAP>
</WRAP>
```

This will result in this presentation:

Head Line

Indention for Box

Another Head Line

Another Box

Out of the Box

As you can see, it is not newspaper-like, where text wraps at the lower window into the next column.

Non-Breaking Spaces

There are instances where you want a space to be non-wrapping (e.g. to get a better layout in a table). Use `_` to create one.

Plugins

Anchor

Allows for setting an anchor (link-target) aside from the already existing ones that are also used in the table of contents.

```
{{anchor:anchor_target_name:this is the visible text}}
```

this is the visible text

This allows you to target the anchor, e.g. [anchor_target_name](#)

Wrap Plugin

Is used for Info-Boxes.

```
<block classes left info>  
**My little Heading**  
  * Some  
  * Stuff  
</block>
```



My little Heading

- Some
- Stuff

folded

This allows you to create a hidden section of the text, that can be unfolded.

```
++++ (click to expand) |  
This is hidden by default  
++++
```

[\(click to expand\)](#)

This is hidden by default

RefNotes

This allows you to create a footnote.

```
This text is footnoted with[(this footnote)].
```

This text is footnoted with¹⁾.

include

This plugin allows you to include another article. This can be helpful for recurring sections or footers.

```
{{page>.hidden_example}}
```

This part comes from an entirely other article.

2022-04-21-19-20 · 7saturn

This can be influenced with the switches `&noeditbutton` and `&nofooter`. The former turns of the edit button for users that can edit be article. The latter turns off the information about the included section.

```
{{page>.hidden_example&noeditbutton&nofooter}}
```

This part comes from an entirely other article.

MathJax

Allows for using LaTeX notation inside the Dokuwiki article.

```
$a^2 + b^2 = c^2$
```

$a^2 + b^2 = c^2$

TocTweak

Allows to influence looks and position of the table of contents. Example:

```
~~CLOSETOC~~
```

sees to it, that the TOC is not unfolded initially. On some pages this actually makes sense, as the entire article is actually an overview where the TOC is either very short or not required at all.

keyboard Plugin

Allows for markup, that depicts a certain text as key(s) to be pressed. E.g. `<key>F5</key>` looks like this: F5. Allows also for combinations. `<key>ALT + F5</key>` gives you ALT+F5.

See Also

- [About this Wiki](#)
- [For New Authors](#)

¹⁾ this footnote

From:

<https://www.mobile-infanterie.de/wiki/> - mwohlauer.d-n-s.name / www.mobile-infanterie.de

Permanent link:

https://www.mobile-infanterie.de/wiki/doku.php?id=en:dokuwiki_plugins_used&rev=1666554678

Last update: **2022-10-23-19-51**

