Nexuiz cvars s

cvar	Function	Default Value
	indicates if this is running registered guake (whether	
registered	gfx/pop.lmp was found)	1
samelevel	repeats same level if level ends (due to timelimit or someone hitting an exit)	0
saved1	unused cvar in quake that is saved to config.cfg on exit, can be used by mods	0
saved2	unused cvar in quake that is saved to config.cfg on exit,	0
	can be used by mods unused cvar in quake that is saved to config.cfg on exit,	0
saved3	can be used by mods unused cvar in quake that is saved to config.cfg on exit,	
saved4	can be used by mods	0
savedgamecfg	unused cvar in quake that is saved to config.cfg on exit, can be used by mods	0
sbar_alpha_bg	opacity value of the statusbar background image	0.7
sbar_alpha_fg	opacity value of the statusbar weapon/item icons and numbers	1
sbar_border_thickness	scoreboard border tickness	1
sbar_color_bg_b	blue color component of the HUD background	0.17
sbar_color_bg_g	green color component of the HUD background	0.25
sbar_color_bg_r	red color component of the HUD background	0
sbar_color_bg_team	team color multiplier of the HUD background	0.5
sbar_columns	custom cvar pixel position of the Nexuiz flag status icons, from the	default
sbar_flagstatus_pos	bottom	115
sbar_flagstatus_right	moves Nexuiz flag status icons to the right	0
sbar_fontsize	custom cvar	11
sbar_gametime	shows an overlay for the time left in the current match/level (or current game time if there is no timelimit set)	1
sbar_hud_accuracy	1 = weapon accuracy on HUD	0
sbar_hudselector	selects which of the builtin hud layouts to use (meaning is somewhat dependent on gamemode, so nexuiz has a very different set of hud layouts than guake for example)	1
sbar_increment_maptime	set to 1 if you prefer an increasing hud timer	0
sbar_info_pos	pixel position of the info strings (such as showfps), from the bottom	50
sbar_miniscoreboard_size	sets the size of the mini deathmatch overlay in items, or	-1
sbar scoreboard alpha bg	scoreboard background alpha	0.28
sbar_scoreboard_highlight	enable highlighting for rows and columns in the scoreboard	1
sbar_scorerank	shows an overlay for your score (or team score) and rank in the scoreboard	1
sbar_showbinds	0 disables display of keybinds, 1 enables it, 2 displays longer strings	1
sbar_showbinds_limit	display so many found keybinds, 0 for unlimited	2
sbar_showcurrentammo	set to 1 to see only the ammo of the current ammo or 0 to see all 4 ammo counts	0
sbar width	custom cvar	560
scr_centersize	custom cvar	11
scr_centertime	how long centerprint messages show	2
scr_conalpha	opacity of console background	0.8
scr_conbrightness	brightness of console background (0 = black, 1 = image)	0.2
scr_conforcewhiledisconnected	forces fullscreen console while disconnected	1
scr_menuforcewhiledisconnected	forces menu while disconnected	0
scr_printspeed	of 0 disables the slow printing	0
scr_refresh	allows you to completely shut off rendering for benchmarking purposes	1
scr_screenshot_gammaboost	gamma correction on saved screenshots and videos, 1.0 saves unmodified images	1
scr_screenshot_hwgamma	apply the video gamma ramp to saved screenshots and videos	1
scr_screenshot_jpeg	save jpeg instead of targa	1
scr_screenshot_jpeg_quality	image quality of saved jpeg	0.9
scr_screenshot_name	prefix name for saved screenshots (changes based on - game commandline, as well as which game mode is running; the date is encoded using strftime escapes)	nexuiz
scr_stipple	interlacing-like stippling of the display	0
scr_zoomwindow	displays a zoomed in overlay window	0
scr_zoomwindow_fov	fov of zoom window	20
scr_zoomwindow_viewsizex	horizontal viewsize of zoom window	20
scr_zoomwindow_viewsizey	vertical viewsize of zoom window	20
scratch1	unused cvar in quake, can be used by mods	0
scratch2	unused cvar in quake, can be used by mods	0

cvar	Function	Default Value
scratch3	unused cvar in quake, can be used by mods	0
scratch4	unused cvar in quake, can be used by mods	0
sensitivity	mouse speed multiplier	6
serverconfig	custom cvar	server.cfg
settemp_list	custom cvar custom cvar	0 sottomp v
settemp_var	shows gfx/brand.tga in a corner of the screen (different	_settemp_x
showbrand	values select different positions, including centered)	3
showdate	shows current date (useful on screenshots)	0
showdate_format	format string for date shows your rendered fps (frames per second)	%Y-%m-%d
showfps	shows your rendered ips (frames per second) shows a graph of packet sizes and other information, 0 =	0
shownetgraph	off, $1 = \text{show client netgraph}$, $2 = \text{show client and server}$	0
chownouso	netgraphs (when hosting a server) show pause icon when game is paused	1
showpause showram	· · · · · · · · · · · · · · · · · · ·	1
showsound	shows number of active sound sources, sound latency, and	
SHOWSOUTH	other statistics	0
showspeed	shows your current speed (qu per second); number selects unit: $1 = qu/s$, $2 = m/s$, $3 = km/h$, $4 = mph$, $5 = knots$	0
showtime	shows current time of day (useful on screenshots)	0
showtime_format	format string for time of day	%H:%M:%S
showtonspood	shows your top speed (kept on screen for max 3 seconds); value -1 takes over the unit from showspeed, otherwise it's	0
showtopspeed	an unit number just like in showspeed	
showturtle	show turtle icon when framerate is too low	0
skill	difficulty level of game, affects monster layouts in levels, 0 = easy, 1 = normal, 2 = hard, 3 = nightmare (same layout	1
SKIII	as hard but monsters fire twice)	_
skill_auto	when 1, "skill" gets adjusted to match the best player on	0
skin	the map	
slowmo	QW player skin name (example: base) controls game speed, 0.5 is half speed, 2 is double speed	1.0
	channel layout. Can be 0 (auto - snd restart needed), 1	0
snd_channellayout	(standard layout), or 2 (ALSA layout)	0
snd_channels	number of channels for the sound ouput (2 for stereo; up to 8 supported for 3D sound)	2
snd csqcchannel0volume	volume multiplier of the auto-allocate entity channel of the	1
shu_csqcchamelovolume	world entity	1
snd_csqcchannel1volume	volume multiplier of the 1st entity channel of the world entity	1
snd csqcchannel2volume	volume multiplier of the 2nd entity channel of the world	1
3nd_c3qccnamici2volume	entity	
snd_csqcchannel3volume	volume multiplier of the 3rd entity channel of the world entity	1
snd csqcchannel4volume	volume multiplier of the 4th entity channel of the world	1
	entity volume multiplier of the 5th entity channel of the world	
snd_csqcchannel5volume	entity	1
snd csqcchannel6volume	volume multiplier of the 6th entity channel of the world	1
	entity volume multiplier of the 7th entity channel of the world	
snd_csqcchannel7volume	entity	1
snd_entchannel0volume	volume multiplier of the auto-allocate entity channel of regular entities	1
	volume multiplier of the 1st entity channel of regular	
snd_entchannel1volume	entities	1
snd_entchannel2volume	volume multiplier of the 2nd entity channel of regular entities	1
	volume multiplier of the 3rd entity channel of regular	
snd_entchannel3volume	entities	1
snd_entchannel4volume	volume multiplier of the 4th entity channel of regular entities	1
and antchannalEvaluers	volume multiplier of the 5th entity channel of regular	1
snd_entchannel5volume	entities	1
snd_entchannel6volume	volume multiplier of the 6th entity channel of regular entities	1
snd_entchannel7volume	volume multiplier of the 7th entity channel of regular	1
snd initialized	entities indicates the sound subsystem is active	1
_	whether to disable sound output when game window is	1
snd_mutewhenidle	inactive	1
snd_noextraupdate	disables extra sound mixer calls that are meant to reduce the chance of sound breakup at very low framerates	0
snd_playerchannel0volume	volume multiplier of the auto-allocate entity channel of player entities	1
snd_playerchannel1volume	volume multiplier of the 1st entity channel of player entities	1
snd_playerchannel2volume	volume multiplier of the 2nd entity channel of player entities	1
snd_playerchannel3volume	volume multiplier of the 3rd entity channel of player entities	1

cyar	Function	Default Value
	volume multiplier of the 4th entity channel of player	
snd_playerchannel4volume	entities	1
snd_playerchannel5volume	entities	1
snd_playerchannel6volume	entities	1
snd_playerchannel7volume	volume multiplier of the 7th entity channel of player entities	1
snd_precache	loads sounds before they are used	1
snd_show	shows some statistics about sound mixing	0
snd_soundradius	radius of weapon sounds and other standard sound effects (monster idle noises are half this radius and flickering light noises are one third of this radius)	2000
snd spatialization control	,	0
snd spatialization max		0.95
snd spatialization max radius	'	100
snd spatialization min	·	0.70
snd spatialization min radius	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	10000
snd spatialization power	'	0
snd speed	sound output frequency, in hertz	48000
snd_staticvolume	volume of ambient cound effects (such as swampy counds	1
snd_streaming	enables keeping compressed ogg sound files compressed,	1
snd swapstereo	swaps left/right speakers for old ISA soundblaster cards	0
snd_width		2
snd_worldchannel0volume	volume multiplier of the auto-allocate entity channel of the world entity	1
snd_worldchannel1volume	volume multiplier of the 1st entity channel of the world entity	1
snd_worldchannel2volume	volume multiplier of the 2nd entity channel of the world entity	1
snd_worldchannel3volume	volume multiplier of the 3rd entity channel of the world entity	1
snd_worldchannel4volume	valuma multipliar of the 4th antity channel of the world	1
snd_worldchannel5volume	valume multiplier of the 5th antity channel of the world	1
snd_worldchannel6volume	volume multiplier of the 6th entity channel of the world	1
snd_worldchannel7volume	volume multiplier of the 7th entity channel of the world	1
sv accelerate	*	8
sv_adminnick	nick name to use for admin messages instead of host name	
sv_aim	maximum cosine angle for quake's vertical autoaim, a value above 1 completely disables the autoaim, quake used 0.93	2
sv_airaccel_qw	ratio of QW-style air control as opposed to simple acceleration	0.95
sv_airaccel_sideways_friction	anti-sideways movement stabilization (reduces speed gain when zigzagging)	0.35
sv_airaccelerate	_ ·	5.5
cy aircontrol	instead CPMA-style air control	0
sv_airstopaccelerate	when set, replacement for sv_airaccelerate when moving	0
sv_airstrafeaccelerate	backwards when set, replacement for sv_airaccelerate when just	0
sv_allow_shownames	strafing custom cvar	1
sv_allowdownloads	whether to allow clients to download files from the server	1
sv allowdownloads archive		0
sv allowdownloads config	9 9 7	0
sv allowdownloads dicache	3 , 3	0
sv allowdownloads inarchive		1
sv_areagrid_mingridsize	minimum argarid cell size, smaller values work better for	- 64
sv_autodemo_perclient	set to 1 to enable autorecorded per-client demos (they'll	0
sv_autodemo_perclient_nameformat	The format of the sv_autodemo_perclient filename, followed by the map name, the client number and the IP address + port number, separated by underscores (the date is encoded using strftime escapes)	sv_autodemos/%Y-%m-%d_%H-%M
sv_autoscreenshot	screenshot once the map ended	0
sv_cheats	enables cheat commands in any game, and cheat impulses in dpmod	0
	apoa	

cvar	Function	Default Value
Cvui	uses select() function to wait between frames which can	Delaute Falue
sv_checkforpacketsduringsleep	be interrupted by packets being received, instead of Sleep()/usleep()/SDL_Sleep() functions which do not check for packets	0
sv_clmovement_enable	whether to allow clients to use cl_movement prediction, which can cause choppy movement on the server which	1
sv_clmovement_inputtimeout	may annoy other players when a client does not send input for this many seconds,	0.2
	force them to move anyway (unlike QuakeWorld)	0
sv_clmovement_maxnetfps	max amount of movement packets to accept per second if client ping is below this time in milliseconds, then their	
sv_clmovement_minping	ability to use cl_movement prediction is disabled for a while (as they don't need it)	0
sv_clmovement_minping_disabletime	when client falls below minping, disable their prediction for this many milliseconds (should be at least 1000 or else their prediction may turn on/off frequently)	1000
sv_clones	number of clones a player may make (reset by the "kill" command)	0
sv_cullentities_nevercullbmodels	if enabled the clients are always notified of moving doors and lifts and other submodels of world (warning: eats a lot of network bandwidth on some levels!)	0
sv_cullentities_pvs	fast but loose culling of hidden entities	1
sv_cullentities_stats	displays stats on network entities culled by various methods for each client	0
sv_cullentities_trace	somewhat slow but very tight culling of hidden entities, minimizes network traffic and makes wallhack cheats useless	1
sv_cullentities_trace_delay	number of seconds until the entity gets actually culled	1
sv_cullentities_trace_delay_players	number of seconds until the entity gets actually culled if it is a player entity	0.2
sv_cullentities_trace_enlarge	box enlargement for entity culling	0
sv_cullentities_trace_prediction	also trace from the predicted player position	1
sv_cullentities_trace_samples	number of samples to test for entity culling	1
sv_cullentities_trace_samples_extra	number of samples to test for entity culling when the entity affects its surroundings by e.g. dlight	2
sv_cullentities_trace_samples_players	number of samples to test for entity culling when the entity is a player entity	8
sv_curl_defaulturl	default autodownload source URL	http://www.nexuiz.com/contentdownload/getmap.php?file=
sv_curl_serverpackages	list of required files for the clients, separated by spaces	
sv_debugmove	disables collision detection optimizations for debugging purposes	0
sv_defaultcharacter	master switch, if set to 1 the further configuration for replacing all player models, skins and colors is taken from the sv_defaultplayermodel, sv_defaultplayerskin and sv_defaultplayercolors variables	0
sv_defaultplayercolors	set to 16*shirt+pants to force a color, note: it does NOT depend on defaultcharacter! Set to _ckgedit_QUOTckgedit> to disable sv_defaultplayermodel default model selection. only works if sv_defaultcharacter is set to 1 models/player/nexus.zym sv_defaultplayermodel_blue _ckgedit_QUOTckgedit> means see sv_defaultplayermodel	
sv_defaultplayermodel_pink	_ckgedit_QUOTckgedit> means see sv_defaultplayermodel sv_defaultplayermodel_red _ckgedit_QUOTckgedit> means see sv_defaultplayermodel	
sv_defaultplayermodel_yellow	"" means see sv_defaultplayermodel	
sv_defaultplayerskin	each model has 1 or more skins (combination of model and skin = character), set which skin of the model you wish the default character to have, only works if sv defaultcharacter is set to 1	0
sv_defaultplayerskin_blue	custom cvar	0
sv_defaultplayerskin_pink	custom cvar	0
sv_defaultplayerskin_red	custom cvar	0
sv_defaultplayerskin_yellow	custom cvar	0
sv_doublejump	allow Quake 2-style double jumps	0
sv_echobprint	prints gamecode bprint() calls to server console enables loading of .ent files to override entities in the bsp	
sv_entpatch	(for example Threewave CTF server pack contains .ent patch files enabling play of CTF on id1 maps) the master switch for efficiency reasons	0
sv_eventlog sv_eventlog console	custom cvar	1
sv eventlog files	custom cvar	0
sv eventlog files counter	custom cvar	0
sv_eventlog_files_nameprefix	custom cvar	nexuiz
sv_eventlog_files_namesuffix	custom cvar	log
sv_eventlog_files_timestamps	custom cvar	1
sv_fixedframeratesingleplayer	allows you to use server-style timing system in singleplayer (don't run faster than sys_ticrate)	1
sv_foginterval	custom cvar	0
sv_freezenonclients	freezes time, except for players, allowing you to walk around and take screenshots of explosions	0
sv_friction	how fast you slow down	7
sv_friction_on_land	custom cvar	0

cvar	Function	Default Value
cvar	causes findradius to detect SOLID NOT entities such as	Delault Value
sv_gameplayfix_blowupfallenzombies	zombies and corpses on the floor, allowing splash damage to apply to them	1
sv_gameplayfix_delayprojectiles	causes entities to not move on the same frame they are spawned, meaning that projectiles wait until the next frame to perform their first move, giving proper interpolation and rocket trails, but making weapons harder to use at low framerates	1
sv_gameplayfix_droptofloorstartsolid	prevents items and monsters that start in a solid area from falling out of the level (makes droptofloor treat trace_startsolid as an acceptable outcome)	0
sv_gameplayfix_droptofloorstartsolid_nudgetocorrect	tries to nudge stuck items and monsters out of walls before droptofloor is performed	1
sv_gameplayfix_easierwaterjump	changes water jumping to make it easier to get out of water (exactly like in QuakeWorld)	1
sv_gameplayfix_findradiusdistancetobox	causes findradius to check the distance to the corner of a box rather than the center of the box, makes findradius detect bmodels such as very large doors that would otherwise be unaffected by splash damage	1
sv_gameplayfix_gravityunaffectedbyticrate	fix some ticrate issues in physics.	0
sv_gameplayfix_grenadebouncedownslopes	prevents MOVETYPE_BOUNCE (grenades) from getting stuck when fired down a downward sloping surface	1
sv_gameplayfix_multiplethinksperframe	allows entities to think more often than the server framerate, primarily useful for very high fire rate weapons	1
sv_gameplayfix_noairborncorpse	causes entities (corpses) sitting ontop of moving entities (players) to fall when the moving entity (player) is no longer supporting them	1
sv_gameplayfix_setmodelrealbox	fixes a bug in Quake that made setmodel always set the entity box to ('-16 -16 -16', '16 16 16') rather than properly checking the model box, breaks some poorly coded mods	1
sv_gameplayfix_slidemoveprojectiles	allows MOVETYPE_FLY/FLYMISSILE/TOSS/BOUNCE/BOUNCEMISSILE entities to finish their move in a frame even if they hit something, fixes 'gravity accumulation' bug for grenades on steep slopes	1
sv_gameplayfix_stepdown	attempts to step down stairs, not just up them (prevents the familiar thudthudthud when running down stairs and slopes)	0
sv_gameplayfix_stepwhilejumping	applies step-up onto a ledge even while airborn, useful if you would otherwise just-miss the floor when running across small areas with gaps (for instance running across the moving platforms in dm2, or jumping to the megahealth and red armor in dm2 rather than using the bridge)	1
sv_gameplayfix_swiminbmodels	causes pointcontents (used to determine if you are in a liquid) to check bmodel entities as well as the world model, so you can swim around in (possibly moving) water bmodel entities	1
sv_gameplayfix_upwardvelocityclearsongroundflag	prevents monsters, items, and most other objects from being stuck to the floor when pushed around by damage, and other situations in mods	1
sv_gentle	force gentle mode for everyone, also remove references to acts of killing from the messages	0
sv_gravity	how fast you fall (512 = roughly earth gravity)	800
sv_heartbeatperiod	how often to send heartbeat in seconds (only used if sv_public is 1)	120
sv_idealpitchscale	how much to look up/down slopes and stairs when not using freelook	0.8
sv_intermission_cdtrack	custom cvar	
sv_jumpstep	(sv_gameplayπx_stepwhilejumping must also be 1)	1
sv_jumpvelocity	, , , , , , , , , , , , , , , , , , , ,	300
sv_loddistance1	custom cvar	1024
sv_loddistance2	custom cvar	4096
sv_logscores_bots	,	0
sv_logscores_console	P	0
sv_logscores_file	print scores to file	0
sv_logscores_filename		scores.log
sv_mapchange_delay	custom cvar user-chosen master server 1	5
sv_master1	user-chosen master server 1 user-chosen master server 2	
sv_master2 sv_master3	user-chosen master server 2 user-chosen master server 3	
sv_master4	user-chosen master server 4	
sv masterextra1	ghdigital.com - default master server 1 (admin: LordHavoc)	69.59.212.88
sv_masterextra2		64.22.107.125
sv_masterextra3	dpmaster.tchr.no - default master server 3 (admin: tChr)	92.62.40.73
sv_maxairspeed	opposite direction)	220
sv_maxairstrafespeed	strafing	0
sv_maxidle		0
sv_maxidle_spectatorsareidle	custom cvar	0

cvar	Function	Default Value
Cvar	upper limit on client rate cvar, should reflect your network	
sv_maxrate	connection quality	1000000
sv_maxspeed	ground (can be exceeded by tricks)	400
sv_maxvelocity	universal speed limit on all entities	100000000
sv_motd	custom cvar	
sv_newflymove	enables simpler/buggier player physics (not recommended)	0
sv_nostep	prevents MOVETYPE_STEP entities (monsters) from moving	0
sv_playerphysicsqc	enables QuakeC function to override player physics	1
sv_pogostick	, , , , , , ,	1
sv_precacheitems		0
sv_precacheplayermodels		1
sv_precacheweapons		0
sv_progs	selects which quakec progs.dat file to run	progs.dat
sv_protocolname	selects network protocol to host for (values include QUAKE, QUAKEDP, NEHAHRAMOVIE, DP1 and up) 1: advertises this server on the master server (so that	DP7
sv_public	players can find it in the server browser); 0: allow direct queries only; -1: do not respond to direct queries; -2: do not allow anyone to connect	0
sv_q3acompat_machineshotgunswap	· · · · · · · · · · · · · · · · · · ·	0
sv_qcweaponanimation		0
sv_random_seed	random seed; when set, on every map start this random seed is used to initialize the random number generator. Don't touch it unless for benchmarking or debugging	
sv_ratelimitlocalplayer	whether to apply rate limiting to the local player in a listen server (only useful for testing)	0
sv_ready_restart	pressed the "ready" button'	0
sv_ready_restart_after_countdown	beginning of the countdown	0
sv_ready_restart_repeatable	1 7	0
sv_servermodelsonly		1
sv_sound_land	sound to play when MOVETYPE_STEP entity hits the ground at high speed (empty cvar disables the sound)	
sv_sound_watersplash	sound to play when MOVETYPE_FLY/TOSS/BOUNCE/STEP entity enters or leaves water (empty cvar disables the sound)	
sv_spectate	immediately (no specating)	1
sv_spectator_speed_multiplier		1.5
sv_status_privacy		1
sv_status_show_qcstatus	'frags' field on the other hand has no meaningful value.	1
sv_stepheight	how high you can step up (TW_SV_STEPCONTROL extension)	34
sv_stopspeed	how fast you come to a complete stop	100
sv_timeout	allows a player to call a timeout, this will pause the game for some time	0
sv_timeout_leadtime	how long the players will be informed that a timeout was calledbefore it starts, in seconds	4
sv timeout length	how long the game will be paused at max, in seconds	120
sv timeout number	how many timeouts one player is allowed to call (gets	2
	reset after a restart) how long the remaining timeout-time will be after a player	
sv_timeout_resumetime	called the resumegame command	3
sv_vote_call	3	1
sv_vote_change		0
sv_vote_commands	these commands can be voted	restart fraglimit chmap gotomap endmatch reducematchtime extendmatchtime allready kick cointoss movetoteam auto
sv_vote_majority_factor	which quotient of the DLAVERS constitute a majority? (tru)	0.5
sv_vote_master	users can call a vote to become master	1
sv_vote_master_commands		movetoteam_red movetoteam_blue movetoteam_yellow movetoteam_pink
sv_vote_master_password	when set, users can use "vlogin PASSWORD" to log in as master	
sv_vote_nospectators	observers can't call a vote)	0
sv_vote_only_commands	custom cvar	
sv_vote_override_mostrecent		0
sv_vote_simple_majority_factor	sv_vote_majority_factor)	0
sv_vote_singlecount	with every vote	0
sv_vote_stop	a player can not call a vote again for this many seconds when he stopped this vote (e.g. to correct it)	15

cvar	Function	Default Value
sv_vote_timeout	a vote will timeout after this many seconds	60
sv_vote_wait	when his vote was not accepted	120
sv_wallfriction	how much you slow down when sliding along a wall	1
sv_warsowbunny_accel	how fast you accelerate until after reaching sv_maxspeed (it gets harder as you near sv_warsowbunny_topspeed)	0.1593
sv_warsowbunny_airforwardaccel	how fast you accelerate until you reach sv_maxspeed	1.00001
sv_warsowbunny_backtosideratio	lower values make it easier to change direction without losing speed; the drawback is "understeering" in sharp turns	0.8
sv_warsowbunny_topspeed	soft speed limit (can get faster with rjs and on ramps)	925
sv_warsowbunny_turnaccel	max sharpness of turns (also master switch for the sv_warsowbunny_* mode; set this to 9 to enable)	0
sv_wateraccelerate	rate at which a player accelerates to sv_maxspeed while in the air, if less than 0 the sv_accelerate variable is used instead	-1
sv_waterfriction	how fast you slow down, if less than 0 the sv_friction variable is used instead	-1
sv_writepicture_quality	WritePicture quality offset (higher means better quality, but slower)	10
sys_colortranslation	terminal console color translation (supported values: 0 = strip color codes, 1 = translate to ANSI codes, 2 = no translation)	1
sys_specialcharactertranslation	terminal console conchars to ASCII translation (set to 0 if your conchars.tga is for an 8bit character set or if you want raw output)	1
sys_ticrate	how long a server frame is in seconds, 0.05 is 20fps server rate, 0.1 is 10fps (can not be set higher than 0.1), 0 runs as many server frames as possible (makes games against bots a little smoother, overwhelms network players), 0.0138889 matches QuakeWorld physics	
sys_useclockgettime	use POSIX clock_gettime function (which has issues if the system clock speed is far off, as it can't get fixed by NTP) for timing rather than gettimeofday (which has issues if the system time is stepped by ntpdate, or apparently on some Xen installations)	0
sys_usenoclockbutbenchmark	don't use ANY real timing, and simulate a clock (for benchmarking); the game then runs as fast as possible. Run a QC mod with bots that does some stuff, then does a quit at the end, to benchmark a server. NEVER do this on a public server.	0

[Back to h to r] [Back to Nexuiz cvars Overview] [Continue to t to w] [Back to the games database

From:

https://www.mobile-infanterie.de/wiki/ - mwohlauer.d-n-s.name / www.mobile-infanterie.de

Permanent link:

https://www.mobile-infanterie.de/wiki/doku.php?id=en:games:nexuiz:cvars_s&rev=1648761257

Last update: 2022-03-31-21-14

