

# Nexuiz cvars t bis w

cvar	Funktion	Default-Wert				
team	QW team (4 character limit, example: blue)	none				
teamplay	teamplay mode, values depend on mod but typically 0 = no teams, 1 = no team damage no self damage, 2 = team damage and self damage, some mods support 3 = no team damage but can damage self	0				
teamplay_default	default teamplay setting in team games. 1 = no friendly fire, self damage. 2 = friendly fire and self damage enabled. 3 = no friendly fire, but self damage enabled. 4 = obey the following four cvars	4				
teamplay_lockonrestart	it set to 1 in a team-based game, the teams are locked once all players readied up and the game restarted (no new players can join after restart unless using the server-command unlockteams)	0				
temp1	general cvar for mods to use, in stock id1 this selects which death animation to use on players (0 = random death, other values select specific death scenes)	0				
timeformat	time format to use on timestamped console messages	[%Y-%m-%d %H:%M:%S]				
timelimit	ends level at this time (in minutes)	0				
timelimit_decrement	custom cvar	5				
timelimit_increment	custom cvar	5				
timelimit_max	custom cvar	60				
timelimit_min	custom cvar	5				
timelimit_override	Time limit overriding the mapinfo specified one (use 0 to play without limit, and -1 to use the mapinfo's limit)	-1				
timelimit_overtime	duration in minutes of one added overtime, added to the timelimit	2				
timelimit_overtimes	how many overtimes to add at max	0				
timelimit_suddendeath	number of minutes suddendeath mode lasts after all overtimes were added and still no winner was found	5				
timestamps	prints timestamps on console messages	0				
userbind1_description	custom cvar	team: quad soon				
userbind1_press	custom cvar	say_team quad soon				
userbind1_release	custom cvar					
userbind10_description	custom cvar	team: roaming, icon				
userbind10_press	custom cvar	say_team roaming (l:%l^7) (h:%h^7 a:%a^7 w:%w^7); g_waypointsprite_team_here				
userbind10_release	custom cvar					
userbind11_description	custom cvar	team: attacking, icon				
userbind11_press	custom cvar	say_team attacking (l:%l^7) (h:%h^7 a:%a^7 w:%w^7); g_waypointsprite_team_here				
userbind11_release	custom cvar					
userbind12_description	custom cvar	team: killed flag, icon				
userbind12_press	custom cvar	say_team killed flagcarrier (l:%y^7); g_waypointsprite_team_p				
userbind12_release	custom cvar					
userbind13_description	custom cvar	team: dropped flag, icon				
userbind13_press	custom cvar	say_team dropped flag (l:%d^7); g_waypointsprite_team_d				
userbind13_release	custom cvar					
userbind14_description	custom cvar	team: drop gun, icon				
userbind14_press	custom cvar	say_team dropped gun %w^7 (l:%l^7); g_waypointsprite_team_here; wait; dropweapon				
userbind14_release	custom cvar					
userbind15_description	custom cvar	team: drop flag/key, icon				
userbind15_press	custom cvar	say_team dropped flag/key %w^7 (l:%l^7); g_waypointsprite_team_here; wait; +use				
userbind15_release	custom cvar	-use				
userbind16_description	custom cvar	chat: nice one				
userbind16_press	custom cvar	say 😊 / nice one				
userbind16_release	custom cvar					
userbind17_description	custom cvar	chat: good game				
userbind17_press	custom cvar	say good game				
userbind17_release	custom cvar					
userbind18_description	custom cvar	chat: hi / good luck				
userbind18_press	custom cvar	say hi / good luck and have fun				

cvar	Funktion	Default-Wert				
userbind18_release	custom cvar					
userbind19_description	custom cvar	scoreboard / chat history				
userbind19_press	custom cvar	+showscores; +con_chat_maximize				
userbind19_release	custom cvar	-showscores; - con_chat_maximize				
userbind2_description	custom cvar	team: free item, icon				
userbind2_press	custom cvar	say_team free item %x	<b>7 (l:%y</b>	<b>7); g_waypointsprite_team_here_p</b>		
userbind2_release	custom cvar					
userbind20_description	custom cvar	toggle recording .avi				
userbind20_press	custom cvar	toggle cl_capturevideo				
userbind20_release	custom cvar					
userbind21_description	custom cvar	toggle fullscreen				
userbind21_press	custom cvar	toggle vid_fullscreen; vid_restart				
userbind21_release	custom cvar					
userbind22_description	custom cvar					
userbind22_press	custom cvar					
userbind22_release	custom cvar					
userbind23_description	custom cvar					
userbind23_press	custom cvar					
userbind23_release	custom cvar					
userbind24_description	custom cvar					
userbind24_press	custom cvar					
userbind24_release	custom cvar					
userbind25_description	custom cvar					
userbind25_press	custom cvar					
userbind25_release	custom cvar					
userbind26_description	custom cvar					
userbind26_press	custom cvar					
userbind26_release	custom cvar					
userbind27_description	custom cvar					
userbind27_press	custom cvar					
userbind27_release	custom cvar					
userbind28_description	custom cvar					
userbind28_press	custom cvar					
userbind28_release	custom cvar					
userbind29_description	custom cvar					
userbind29_press	custom cvar					
userbind29_release	custom cvar					
userbind3_description	custom cvar	team: took item, icon				
userbind3_press	custom cvar	say_team took item (l:%l	<b>7); g_waypointsprite_team_here</b>			
userbind3_release	custom cvar					
userbind30_description	custom cvar					
userbind30_press	custom cvar					
userbind30_release	custom cvar					
userbind31_description	custom cvar					
userbind31_press	custom cvar					
userbind31_release	custom cvar					
userbind32_description	custom cvar					
userbind32_press	custom cvar					
userbind32_release	custom cvar					
userbind4_description	custom cvar	team: negative				
userbind4_press	custom cvar	say_team negative				
userbind4_release	custom cvar					
userbind5_description	custom cvar	team: positive				
userbind5_press	custom cvar	say_team positive				
userbind5_release	custom cvar					
userbind6_description	custom cvar	team: need help, icon				
userbind6_press	custom cvar	say_team need help (l:%l	<b>7 (h:%h</b>	<b>7 a:%a</b>	<b>7 w:%w</b>	<b>7); g_waypointsprite_team_helpme; cmd voice needhelp</b>
userbind6_release	custom cvar					
userbind7_description	custom cvar	team: enemy seen, icon				
userbind7_press	custom cvar	say_team enemy seen (l:%y	<b>7); g_waypointsprite_team_danger_p; cmd voice incoming</b>			
userbind7_release	custom cvar					
userbind8_description	custom cvar	team: flag seen, icon				
userbind8_press	custom cvar	say_team flag seen (l:%y	<b>7); g_waypointsprite_team_here_p; cmd voice seenflag</b>			
userbind8_release	custom cvar					
userbind9_description	custom cvar	team: defending, icon				
userbind9_press	custom cvar	say_team defending (l:%l	<b>7 (h:%h</b>	<b>7 a:%a</b>	<b>7 w:%w</b>	<b>7); g_waypointsprite_team_here</b>
userbind9_release	custom cvar					
v_brightness	brightness of black, useful for monitors that are too dark	0				
v_centermove	how long before the view begins to center itself (if freelook/+mlook/+jlook/+klook are off)	0.15				
v_centerspeed	how fast the view centers itself	500				
v_color_black_b	desired color of black	0				
v_color_black_g	desired color of black	0				
v_color_black_r	desired color of black	0				
v_color_enable	enables black-grey-white color correction curve controls	0				
v_color_grey_b	desired color of grey	0.5				
v_color_grey_g	desired color of grey	0.5				
v_color_grey_r	desired color of grey	0.5				
v_color_white_b	desired color of white	1				
v_color_white_g	desired color of white	1				
v_color_white_r	desired color of white	1				

cvar	Funktion	Default-Wert				
v_contrast	brightness of white (values above 1 give a brighter image with increased color saturation, unlike v_gamma)	1				
v_contrastboost	by how much to multiply the contrast in dark areas (1 is no change)	1				
v_deathtilt	whether to use sideways view when dead	0				
v_deathtiltangle	what roll angle to use when tilting the view while dead	80				
v_flipped	mirror the screen (poor man's left handed mode)	0				
v_gamma	inverse gamma correction value, a brightness effect that does not affect white or black, and tends to make the image grey and dull	1.125000				
v_glslgamma	enables use of GLSL to apply gamma correction ramps if available (note: overrides v_hwgamma)	0				
v_hwgamma	enables use of hardware gamma correction ramps if available (note: does not work very well on Windows2000 and above), values are 0 = off, 1 = attempt to use hardware gamma, 2 = use hardware gamma whether it works or not	1				
v_idlescale	how much of the quake 'drunken view' effect to use	0				
v_ipitch_cycle	v_idlescale pitch speed	1				
v_ipitch_level	v_idlescale pitch amount	0.3				
v_iroll_cycle	v_idlescale roll speed	0.5				
v_iroll_level	v_idlescale roll amount	0.1				
v_iyaw_cycle	v_idlescale yaw speed	2				
v_iyaw_level	v_idlescale yaw amount	0.3				
v_kickpitch	how much a view kick from damage pitches your view	0.6				
v_kickroll	how much a view kick from damage rolls your view	0.6				
v_kicktime	how long a view kick from damage lasts	0.5				
v_psych0	easter egg (does not work on Windows2000 or above)	0				
vid_bitsperpixel	how many bits per pixel to render at (32 or 16, 32 is recommended)	32				
vid_conheight	virtual height of 2D graphics system	600				
vid_conwidth	virtual width of 2D graphics system	800				
vid_dgmouse	make use of DGA mouse input	0				
vidFullscreen	use fullscreen (1) or windowed (0)	1				
vid_grabkeyboard	whether to grab the keyboard when mouse is active (prevents use of volume control keys, music player keys, etc on some keyboards)	0				
vid_hardwaregammasupported	indicates whether hardware gamma is supported (updated by attempts to set hardware gamma ramps)	1				
vid_height	resolution	768				
vid_minheight	minimum vid_height that is acceptable (to be set in default.cfg in mods)	0				
vid_minwidth	minimum vid_width that is acceptable (to be set in default.cfg in mods)	0				
vid_mouse	whether to use the mouse in windowed mode (fullscreen always does)	1				
vid_netwmfullscreen	make use _NET_WM_STATE_FULLSCREEN; turn this off if fullscreen does not work for you	0				
vid_pixelheight	adjusts vertical field of vision to account for non-square pixels (1280x1024 on a CRT monitor for example)	1				
vid_refreshrate	refresh rate to use, in hz (higher values flicker less, if supported by your monitor)	60				
vid_resizable	0: window not resizable, 1: resizable, 2: window can be resized but the framebuffer isn't adjusted	1				
vid_samples	how many anti-aliasing samples per pixel to request from the graphics driver (4 is recommended, 1 is faster)	1				
vid_stereobuffer	enables 'quad-buffered' stereo rendering for stereoglasses, HMD (head mounted display) devices, or polarized stereo LCDs, if supported by your drivers	0				
vid_stick_mouse	have the mouse stuck in the center of the screen	0				
vid_userefreshrate	set this to 1 to make vid_refreshrate used, or to 0 to let the engine choose a sane default	0				

cvar	Funktion	Default-Wert				
vid_vsync	sync to vertical blank, prevents 'tearing' (seeing part of one frame and part of another on the screen at the same time), automatically disabled when doing timedemo benchmarks	0				
vid_width	resolution	1024				
vid_x11_display	nexuiz-linux-* .sh will use this to start nexuiz on an other/new X display					
viewsize	how large the view should be, 110 disables inventory bar, 120 disables status bar	100				
volume	volume of sound effects	0.5				
welcome_message_time	custom cvar	8				

[Zurück zur Nexuis cvars Übersicht](#)

From:

<https://www.mobile-infanterie.de/wiki/> - mwohlauer.d-n-s.name / www.mobile-infanterie.de

Permanent link:

[https://www.mobile-infanterie.de/wiki/doku.php?id=games:nexuiz\\_cvars\\_t\\_bis\\_w&rev=1455555467](https://www.mobile-infanterie.de/wiki/doku.php?id=games:nexuiz_cvars_t_bis_w&rev=1455555467)

Last update: **2016-02-15-16-57**

